

# Datasheet – MH1001K

Hinged 100 mm 1-leaf for chill



## Technical description - Overview

Std. Max. width	1400 mm
Std. Max. height	2500 mm
Frame	1,5 mm or 2 mm stainless steel
Insulation	PIR
Hinges	Stainless steel with "non-friction" bushing
Door leaf thickness	100 mm

**N.B! Measures which surpasses std. Max width and height, please contact DAN-doors!**

Component	Material/description
Door leaf material	<ul style="list-style-type: none"> <li>• 1.0 mm Stainless steel AISI304</li> <li>• 1.0 mm Galvanized steel</li> <li>• 1.0 mm White PVC (Food safe)</li> </ul> <p><b>If you want other surfaces, please contact DAN-doors.</b></p>
Frame	<ul style="list-style-type: none"> <li>• 1,5 mm stainless steel</li> <li>• 2 mm stainless steel</li> <li>• 2 mm Anodized aluminum</li> <li>• Frame is always isolated</li> </ul>
Gaskets	<ul style="list-style-type: none"> <li>• Approved for use in the food industry</li> </ul>
Handles and lock cases	<ul style="list-style-type: none"> <li>• Fermod 920 without locking or 921 with locking</li> <li>• D-handle with long sign in stainless steel</li> <li>• DD-handle – 1. point handle, 2. point handle or 3 points handle</li> </ul> <p><b><u>If you want other solutions, please contact DAN-doors.</u></b></p>

	Extra equipment
<b>Water canopy</b>	Recommend for outside doors
<b>Window</b>	Standard sizes: <ul style="list-style-type: none"> <li>• 150 x 300 mm</li> <li>• 400 x 600 mm</li> <li>• 500 x 600 mm</li> </ul>
<b>Window frame</b>	<ul style="list-style-type: none"> <li>• Anodized aluminum or stainless steel</li> </ul>
<b>Glass</b>	Minimum 2-layer thermo glass
<b>Door closer</b>	<ul style="list-style-type: none"> <li>• Door closer Geze 4000</li> <li>• Geze 5000</li> <li>• Automatic - Geze Powerturn with safety fillets front- and backside</li> </ul> <p><b>If you want other solutions, please contact DAN-doors.</b></p>
<b>Doorstep</b>	<ul style="list-style-type: none"> <li>• Stainless steel</li> </ul>
<b>Kickplates</b>	Material – Stainless steel AISI 304 <ul style="list-style-type: none"> <li>• Door width x 300 mm (standard)</li> <li>• Door width x 800 mm (Standard)</li> </ul>